

Quality Control Certificate

Product: Alumina Column

Product No.: 15433 **Lot No.: 720367**

Storage Recommendations: Store the column at room temperature below 25°C

Description: The Alumina Column is part of a 3-column setup used for the sample preparation of

environmental-, food- / feed- and similar matrices with DEXTech systems from

LCTech for the analysis of polychlorinated dibenzo-p-dioxins (PCDD), polychlorinated dibenzofurans (PCDF) and polychlorinated biphenyl (PCB)

congeners.

Quality Control Release Inspection and Test Specification

Test Procedure: A solvent blank, spiked with quantification standard has been cleaned on a

DEXTech Plus system, spiked with recovery standard, evaporated with the D-EVA and has been quantified with a HRGC/HRMS DFS from Thermo Fisher Scientific at a

resolution of R > 10000.

Results Blank Value: PCDD/F-TEQ: 0,05 pg/column

(crit: < 0,7 pg/column)

dl-PCB-TEQ: 0,0329 pg/column

(crit: < 0,05 pg/column)

Sum Total PCB: 3,2 pg/column

(crit: < 300 pg/column)

Results Recoveries: PCDD/F 71 to 115 % (crit: 70 to 120 %)

PCB 89 to 102 % (crit: 70 to 120 %)

This is to certify that the Alumina Column, Lot 720367, passed the required test specifications and is released for sale.

date: 19.06.2024 sign.:

The company LCTech GmbH is certified according to ISO 9001





QC-Certificate - 15433 - 720367

Hazards: NOT FOR HUMAN OR DRUG USE!

The Alumina Column is designed and prepared for usage with the Universal/standard & Smart Column and Carbon Column from LCTech and for laboratory use only. This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion, all procedures should be carried out with suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed according to national and

Quality Control: All ingredients are traceable to certified lots of our supplier. In addition, any

ingredient with a new lot will be checked on contamination and efficiency before releasing for production. Monitoring the ongoing production, several columns are chosen at random day for analysis to check on contamination

and efficiency.

regional regulations.

Quality Management: This product was produced using a Quality Management System registered to the

ISO 9001:2015 (DEKRA)

Documentation / table 1 & 2: blankvalues of PCDD/F and PCB
Data Attached: table 3 & 4: 13C-Recoveries of PCDD/F and PCB

Analytics This is to certify that the Alumina Column, Lot , passed the required test

specifications and is released for sale.

Remarks n/a





QC-Certificate - 15433 - 720367

Results:

Lockmass check: No significant disturbances, or indicators for contaminations are detected.

Blanks: n= 9

Table 1: PCDD/F blank

		[pg/column]
	2,3,7,8-TCDF	<dl< td=""></dl<>
	1,2,3,7,8-PeCDF	<dl< td=""></dl<>
	2,3,4,7,8-PeCDF	<dl< td=""></dl<>
٦	1,2,3,4,7,8-HxCDF	<dl< td=""></dl<>
I I	1,2,3,6,7,8-HxCDF	<dl< td=""></dl<>
000	2,3,4,6,7,8-HxCDF	<dl< td=""></dl<>
sample amount [pg/column	1,2,3,7,8,9-HxCDF	<dl< td=""></dl<>
프	1,2,3,4,6,7,8-HpCDF	<dl< td=""></dl<>
E T	1,2,3,4,7,8,9-HpCDF	<dl< td=""></dl<>
2	1,2,3,4,6,7,8,9-OCDF	<0,054
a	2,3,7,8-TCDD	<dl< td=""></dl<>
ole	1,2,3,7,8-PeCDD	<dl< td=""></dl<>
Ē	1,2,3,4,7,8-HxCDD	<0,027
SS	1,2,3,6,7,8-HxCDD	<0,108
	1,2,3,7,8,9-HxCDD	<dl< td=""></dl<>
	1,2,3,4,6,7,8-HpCDD	<0,09
	1,2,3,4,6,7,8,9-OCDD	0,41

PCDD/F TEQ (2005)	[pg/column]	
lower bound		0,01
upper bound		0,05

Table 2: PCB blank

		[pg/column]
	PCB-#28	1,57
	PCB-#52	0,46
	PCB-#101	0,19
	PCB-#153	<0,162
<u>e</u>	PCB-#138	0,59
sample amount [pg/sample]	PCB-#180	0,4
/sa	PCB-#81	0,59
- bd	PCB-#77	0,7433
nt_	PCB-#126	0,17
on	PCB-#169	0,52
an	PCB-#123	0,11
<u>e</u>	PCB-#118	0,15
ш	PCB-#114	0,062
sa	PCB-#105	<0,081
	PCB-#167	<dl< td=""></dl<>
	PCB-#156	0,191
	PCB-#157	0,12
	PCB-#189	<0,0072

PCB-TEQ	[pg/column]
lower bound	0,0329
upper bound	0,0329
Sum DIN	3,2





QC-Certificate - 15433 - 720367

Table 3: PCDD/F recoveries

		[%]	RSD [%]
	2,3,7,8-TCDF	77	12
	1,2,3,7,8-PeCDF	73	11
	2,3,4,7,8-PeCDF	76	10
%	1,2,3,4,7,8-HxCDF	94	9
ွ	1,2,3,6,7,8-HxCDF	95	9
rj.	2,3,4,6,7,8-HxCDF	106	6
Recoveries [%]	1,2,3,7,8,9-HxCDF	110	4
	1,2,3,4,6,7,8-HpCDF	109	8
8	1,2,3,4,7,8,9-HpCDF	101	10
၁ဗ္ဗ	1,2,3,4,6,7,8,9-OCDF	99	8
<u> </u>	2,3,7,8-TCDD	71	16
	1,2,3,7,8-PeCDD	78	11
PCDD/F 13C	1,2,3,4,7,8-HxCDD	111	9
<u>a</u>	1,2,3,6,7,8-HxCDD	90	8
	1,2,3,7,8,9-HxCDD	115	7
	1,2,3,4,6,7,8-HpCDD	104	9
	1,2,3,4,6,7,8,9-OCDD	101	6

Table 4: PCB recoveries

		[%]	RSD [%]
	PCB-#28	101	6
	PCB-#52	98	10
	PCB-#101	94	6
	PCB-#153	95	5
5	PCB-#138	96	6
<u>~</u>	PCB-#180	95	3
<u>ië</u>	PCB-#81	93	5
Ve.	PCB-#77	91	7
PCB 13C Recoveries [%]	PCB-#126	98	10
	PCB-#169	89	7
ဘ္ထ	PCB-#123	102	4
~	PCB-#118	100	4
3	PCB-#114	97	5
Ф	PCB-#105	95	8
	PCB-#167	93	2
	PCB-#156	97	5
	PCB-#157	98	4
	PCB-#189	93	4

