

# **Quality Control Certificate**

Product: Universal Column

Product No.: 19511 **Lot No.: 717770** 

Storage Recommendations: Store the column at room temperature below 25°C

Description: The Universal Column is part of a 3- or 4-column setup used for the sample

preparation of environmental-, food- / feed- and similar matrices with DEXTech systems from LCTech for the analysis of polychlorinated dibenzo-p-dioxins (PCDD),

polychlorinated dibenzofurans (PCDF) and polychlorinated biphenyl (PCB)

congeners.

### **Quality Control Release Inspection and Test Specification**

Test Procedure: A solvent blank, spiked with quantification standard has been cleaned on a

DEXTech Plus system, spiked with recovery standard, evaporated with the D-EVA and has been quantified with a HRGC/HRMS DFS from Thermo Fisher Scientific at a

resolution of R > 10000.

Results Blank Value: PCDD/F-TEQ: 0,32 pg/column

(crit: < 0,7 pg/column)

dl-PCB-TEQ: 0,013 pg/column

(crit: < 0,05 pg/column)

Sum Total PCB: 4,5 pg/column

(crit: < 300 pg/column)

Results Recoveries: PCDD/F 76 to 102 % (crit: 45 to 130 %)

PCB 84 to 107 % (crit: 45 to 130 %)

This is to certify that the Universal Column, Lot 717770, passed the required test specifications and is released for sale.

date: 09.01.2023 sign.:\_ T. Weshema's

The company LCTech GmbH is certified according to ISO 9001





#### QC-Certificate - 19511 - 717770

Hazards: NOT FOR HUMAN OR DRUG USE!

The Carbon Column is designed and prepared for usage with the Alumina/Florisil Column and Universal/standard & Smart Column from LCTech and for laboratory use only. This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion, all procedures should be carried out with suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed according to national and

regional regulations.

Quality Control: All ingredients are traceable to certified lots of our supplier. In addition, any

ingredient with a new lot will be checked on contamination and efficiency before releasing for production. Monitoring the ongoing production, several columns are chosen at random day for analysis to check on contamination

and efficiency.

Quality Management: This product was produced using a Quality Management System registered to the

ISO 9001:2015 (DEKRA)

Documentation / table 1 & 2: blankvalues of PCDD/F and PCB
Data Attached: table 3 & 4: 13C-Recoveries of PCDD/F and PCB

Analytics All the Columns (n>5) have to perform a clean-up of a solvent blank (10 mL

n-hexane), spiked with a 13C - labelled quantifier-standard solution with a default alumina plus or pure 209 method onto a DEXTech Pure or Plus system. There are 2 fractions, fraction 1 (all 209 PCB) and fraction 2 (PCDD/F). Both fractions are spiked with the corresponding 13C - labelled recovery- standard solutions and evaporated with the D-EVA vacuum centrifuge. The extracts are measured with a HRMS-DFS from Thermo Fisher Scientific with a resolution of R > 10000. The HRGCs are equipped with 60 m DB5 MS Columns. For PCDD/F 5µL are injected via PTV, for PCB

Remarks Our suppliers maintain the highest standard of quality, however due to the high

temperature necessary for several steps in the production, some small charred particles may be visible within a batch of silica or filters without any effect on the

clean-up.





## QC-Certificate - 19511 - 717770

#### Results:

Lockmass check: No significant disturbances, or indicators for contaminations are detected.

Blanks: n= 7

Table 1: PCDD/F blank

|               | _                    | [pg/column] |
|---------------|----------------------|-------------|
|               | 2,3,7,8-TCDF         | 0,15        |
|               | 1,2,3,7,8-PeCDF      | <0,045      |
|               | 2,3,4,7,8-PeCDF      | <0,081      |
| nn]           | 1,2,3,4,7,8-HxCDF    | <0,027      |
| L L           | 1,2,3,6,7,8-HxCDF    | 0,051       |
| colur         | 2,3,4,6,7,8-HxCDF    | 0,08        |
| )g            | 1,2,3,7,8,9-HxCDF    | 0,09        |
| 으             | 1,2,3,4,6,7,8-HpCDF  | <0,063      |
| n i           | 1,2,3,4,7,8,9-HpCDF  | 0,041       |
| 00            | 1,2,3,4,6,7,8,9-OCDF | 0,47        |
| an            | 2,3,7,8-TCDD         | 0,14        |
| ole           | 1,2,3,7,8-PeCDD      | 0,1         |
| sample amount | 1,2,3,4,7,8-HxCDD    | <0,027      |
| Sa            | 1,2,3,6,7,8-HxCDD    | <0,108      |
|               | 1,2,3,7,8,9-HxCDD    | 0,034       |
|               | 1,2,3,4,6,7,8-HpCDD  | 0,09        |
|               | 1,2,3,4,6,7,8,9-OCDD | 1           |

| PCDD/F TEQ (2005) | [pg/column] |      |
|-------------------|-------------|------|
| lower bound       |             | 0,32 |
| upper bound       |             | 0,32 |

Table 2: PCB blank

|                           |          | [pg/column] |
|---------------------------|----------|-------------|
|                           | PCB-#28  | 1,06        |
|                           | PCB-#52  | 1,27        |
|                           | PCB-#101 | 0,91        |
|                           | PCB-#153 | 0,46        |
| <u>e</u>                  | PCB-#138 | 0,45        |
| m                         | PCB-#180 | 0,389       |
| /sa                       | PCB-#81  | 0,18        |
| sample amount [pg/sample] | PCB-#77  | <0,18       |
|                           | PCB-#126 | 0,1042      |
| no                        | PCB-#169 | 0,079       |
| au                        | PCB-#123 | 0,6         |
| <u>e</u>                  | PCB-#118 | 0,53        |
| ш                         | PCB-#114 | 0,228       |
| sa                        | PCB-#105 | 0,48        |
|                           | PCB-#167 | 0,313       |
|                           | PCB-#156 | 0,536       |
|                           | PCB-#157 | 0,2         |
|                           | PCB-#189 | 0,642       |

| PCB-TEQ     | [pg/column] |
|-------------|-------------|
| lower bound | 0,013       |
| upper bound | 0,013       |
| Sum DIN     | 4,5         |
|             |             |





## QC-Certificate - 19511 - 717770

Table 3: PCDD/F recoveries

|                           |                      | [%] | RSD [%] |
|---------------------------|----------------------|-----|---------|
|                           | 2,3,7,8-TCDF         | 93  | 12      |
|                           | 1,2,3,7,8-PeCDF      | 87  | 7       |
|                           | 2,3,4,7,8-PeCDF      | 92  | 12      |
| %                         | 1,2,3,4,7,8-HxCDF    | 76  | 12      |
| S                         | 1,2,3,6,7,8-HxCDF    | 86  | 11      |
| PCDD/F 13C Recoveries [%] | 2,3,4,6,7,8-HxCDF    | 80  | 15      |
|                           | 1,2,3,7,8,9-HxCDF    | 82  | 15      |
|                           | 1,2,3,4,6,7,8-HpCDF  | 102 | 8       |
|                           | 1,2,3,4,7,8,9-HpCDF  | 90  | 11      |
|                           | 1,2,3,4,6,7,8,9-OCDF | 95  | 8       |
|                           | 2,3,7,8-TCDD         | 86  | 7       |
|                           | 1,2,3,7,8-PeCDD      | 93  | 14      |
| 용                         | 1,2,3,4,7,8-HxCDD    | 83  | 17      |
| A.                        | 1,2,3,6,7,8-HxCDD    | 77  | 7       |
|                           | 1,2,3,7,8,9-HxCDD    | 81  | 14      |
|                           | 1,2,3,4,6,7,8-HpCDD  | 96  | 5       |
|                           | 1,2,3,4,6,7,8,9-OCDD | 82  | 4       |

Table 4: PCB recoveries

|                        |          | [%] | RSD [%] |
|------------------------|----------|-----|---------|
|                        | PCB-#28  | 90  | 4       |
|                        | PCB-#52  | 85  | 11      |
|                        | PCB-#101 | 97  | 6       |
|                        | PCB-#153 | 94  | 6       |
| 5                      | PCB-#138 | 100 | 5       |
| 9                      | PCB-#180 | 102 | 6       |
| <u>ië</u>              | PCB-#81  | 93  | 6       |
| Ve.                    | PCB-#77  | 107 | 6       |
| PCB 13C Recoveries [%] | PCB-#126 | 107 | 7       |
|                        | PCB-#169 | 105 | 9       |
|                        | PCB-#123 | 92  | 15      |
|                        | PCB-#118 | 84  | 21      |
|                        | PCB-#114 | 97  | 8       |
|                        | PCB-#105 | 93  | 25      |
|                        | PCB-#167 | 89  | 16      |
|                        | PCB-#156 | 92  | 16      |
|                        | PCB-#157 | 94  | 25      |
|                        | PCB-#189 | 84  | 18      |

